




Guardian Light Bar






280/440/760/1080/1240/1400/1560mm/1720mm
11" / 17" / 30" / 43" / 49" / 55" / 62" / 68"



Advantages

(1) Two Levels Design	brand new design, 4 colors in one, first in China
(2) Full surround white light	can be used as scene light, take down, alley light
(3) Light Sensor	by day, by night, can be manually adjusted or automatically sensed
(4) R65 Class 2	ECE R65 Class 2, brightest lightbar in the market
(5) SAE J845	SAE J845 Class 1 Approved
(6) Intelligent Controller	4-directional control, single color or dual color mix
(7) Traffic Advisor	with traffic advisor, arrow out.
(8) Maintenance	replaceable modules individual
(9) Waterproof	IP69K Waterproof
(10) Material	aluminum housing, better cooling system, PC Lens
(11) Warranty	5 Years

3 Color in 1




Alley Light




Single Color Version

Part Number	Modules in middle	Length in mm	Length inch	Warning Light ● ● ● ● ●	Scene Light Take down / Alley Light	Flashing Patterns
L3-280	2	280mm	11inch	60pcs 2W LED	50W White Beam	15 patterns
L3-440	4	440mm	17inch	84pcs 2W LED	50W White Beam	
L3-760	8	760mm	30inch	132pcs 2W LED	50W White Beam	
L3-1080	12	1080mm	43inch	180pcs 2W LED	50W White Beam	
L3-1240	14	1240mm	49inch	204pcs 2W LED	50W White Beam	
L3-1400	16	1400mm	55inch	228pcs 2W LED	50W White Beam	
L3-1560	18	1560mm	62inch	252pcs 2W LED	50W White Beam	
L3-1720	20	1720mm	68inch	276pcs 2W LED	50W White Beam	

Dual Color or Tri Color is available



Brand New Intelligent Controller



50%

Adjust brightness to 50%

Auto
Sensor

Automatically senses day or night, automatically adjusts the brightness to 100% during the day and 50% at night

Indicator

Turn off screen display

Cruise
mode

Keep the warning lights in steady burn
Light

Random

All flashing patterns mixed together and keep changing

Favorite
Pattern

You can customize your most commonly used or favorite pattern.

Left

Traffic advisor, directing vehicles to the left.


Traffic
Advisor

Traffic advisor, arrow out, directing vehicles to both sides.

Right

Traffic advisor, directing vehicles to the right

280mm / 11inch Mini Bar



- . Aluminum Alloy Material Housing, PC lens
- . Frist Level: Warning Lights, 52pcs 2W LED Chip each color
- . Second Level: 50W White beam, can be used as a scene Light, take down, alley light.
- . By day, By night function, automatically adjust brightness
- . 5 Years Warranty, 10-30V
- . Single color has 15 flashing patterns, Dual color has 15x3 flashing patterns
- . ECE R65 Class 2, ECE R10, SAE J845 Class 1
- . 3 mounting ways in 1 (Screw Mount, Bracket mount, Magnets mount)

















No. L3-280 L3-280-1 L3-280aw-1 L3-280ab-1 L3-280rb-1 L3-280arb-1 **Pictures** Frist level: Second level: Frist level: Second level: Frist level: Second level: Frist level: Second level: Frist level: Second level: **Colors** Amber White beam


			Cable	Mounting
			40cm cable (4 cores)	Screw Mount + Bracket Mount
		 Amber White beam	3 meters cable	4pcs 6063-T6 Magnetic garett plug
		 Amber + White Strobe White beam	3 meters cable	4pcs 6063-T6 Magnetic garett plug
		 Amber + Blue White beam	3 meters cable	4pcs 6063-T6 Magnetic garett plug
		 Red + Blue White beam	3 meters cable	4pcs 6063-T6 Magnetic garett plug
		 Amber, half Red, half Blue White beam	3 meters cable	4pcs 6063-T6 Magnetic garett plug

440mm / 17" Mini Bar



- . Aluminum Alloy Material Housing, PC lens
- . First Level: Warning Lights, 68pcs 2W LED Chip each color
- . Second Level: 50W White beam, can be used as a scene Light, take down, alley light.
- . By day, By night function, automatically adjust brightness
- . 5 Years Warranty, 10-30V
- . Single color has 15 flashing patterns, Dual color has 15x3 flashing patterns
- . ECE R65 Class 2, ECE R10, SAE J845 Class 1
- . 3 mounting ways in 1 (Screw Mount, Bracket mount, Magnets mount)

No.	Pictures	Colors	Cable	Mounting
L3-440		First level:  Amber Strobe Second level:  White beam	40cm cable (4 cores)	Screw Mount + Bracket Mount
L3-440-1		First level:  Amber Strobe Second level:  White beam	3 meters cable	4pcs 660mA TMC garett plug
L3-440aw-1		First level:   Amber + White Strobe Second level:  White beam	3 meters cable	4pcs 660mA TMC garett plug
L3-440ab-1		First level:   Amber + Blue Strobe Second level:  White beam	3 meters cable	4pcs 660mA TMC garett plug
L3-440rb-1		First level:   Red + Blue Strobe Second level:  White beam	3 meters cable	4pcs 660mA TMC garett plug
L3-440arb-1		First level:    Amber, half Red half Blue Second level:  White beam	3 meters cable	4pcs 660mA TMC garett plug



SYNC two lightbars

Application:

Some trucks need to install two light bars on the top. In this case, only one controller is needed to control the two warning lights and flash them synchronously.

