




Guardian Light Bar






280/440/760/1080/1240/1400/1560mm/1720mm
11" / 17" / 30" / 43" / 49" / 55" / 62" / 68"



Advantages

Two Levels Design	brand new design, 4 colors in one, first in China
Full surround white light	can be used as scene light, take down, alley light
Light Sensor	by day, by night, can be manually adjusted or automatically sensed
R65 Class 2	ECE R65 Class 2, brightest lightbar in the market
SAE J845	SAE J845 Class 1 Approved
Intelligent Controller	4-directional control, single color or dual color mix
Traffic Advisor	with traffic advisor, arrow out.
Maintenance	replaceable modules individual
Waterproof	IP69K Waterproof
Material	aluminum housing, better cooling system, PC Lens
Warranty	5 Years

3 Color in 1




Alley Light




Single Color Version

Model	Modules in middle	Length in mm	Length inch	Warning Light ● ● ● ● ●	Scene Light Take down / Alley Light	Flashing Patterns
280	2	280mm	11inch	60pcs 2W LED	50W White Beam	15 patterns
440	4	440mm	17inch	84pcs 2W LED	50W White Beam	
760	8	760mm	30inch	132pcs 2W LED	50W White Beam	
1080	12	1080mm	43inch	180pcs 2W LED	50W White Beam	
1240	14	1240mm	49inch	204pcs 2W LED	50W White Beam	
1400	16	1400mm	55inch	228pcs 2W LED	50W White Beam	
1560	18	1560mm	62inch	252pcs 2W LED	50W White Beam	
1720	20	1720mm	68inch	276pcs 2W LED	50W White Beam	

Dual Color or Tri Color is available



Brand New Intelligent Controller



50%

Adjust brightness to 50%

Auto
Sensor

Automatically senses day or night, automatically adjusts the brightness to 100% during the day and 50% at night

Indicator

Turn off screen display

Cruise
mode

Keep the warning lights in steady burn
Light

Random

All flashing patterns mixed together and keep changing

Favorite
Pattern

You can customize your most commonly used or favorite pattern.

Left

Traffic advisor, directing vehicles to the left.


Traffic
Advisor

Traffic advisor, arrow out, directing vehicles to both sides.

Right

Traffic advisor, directing vehicles to the right


280mm / 11inch Mini Bar




- . Aluminum Alloy Material Housing, PC lens
- . Frist Level: Warning Lights, 52pcs 2W LED Chip each color
- . Second Level: 50W White beam, can be used as a scene Light, take down, alley light.
- . By day, By night function, automatically adjust brightness
- . 5 Years Warranty, 10-30V
- . Single color has 15 flashing patterns, Dual color has 15x3 flashing patterns
- . ECE R65 Class 2, ECE R10, SAE J845 Class 1
- . 3 mounting ways in 1 (Screw Mount, Bracket mount, Magnets mount)

			Cable	Mounting
			40cm cable (4 cores)	Screw Mount + Bracket Mount
		 Amber White beam	3 meters cable	4pcs 6063-T6 cigarette plug
		 Amber + White Strobe White beam	3 meters cable	4pcs 6063-T6 cigarette plug
		 Amber + Blue White beam	3 meters cable	4pcs 6063-T6 cigarette plug
		 Red + Blue White beam	3 meters cable	4pcs 6063-T6 cigarette plug
		 Amber, half Red, half Blue White beam	3 meters cable	4pcs 6063-T6 cigarette plug

440mm / 17" Mini Bar



- . Aluminum Alloy Material Housing, PC lens
 - . First Level: Warning Lights, 68pcs 2W LED Chip each color
 - . Second Level: 50W White beam, can be used as a scene Light, take down, alley light.
 - . By day, By night function, automatically adjust brightness
 - . 5 Years Warranty, 10-30V
 - . Single color has 15 flashing patterns, Dual color has 15x3 flashing patterns
 - . ECE R65 Class 2, ECE R10, SAE J845 Class 1
 - . 3 mounting ways in 1 (Screw Mount, Bracket mount, Magnets mount)
-



SYNC two lightbars

Application:

Some trucks need to install two light bars on the top. In this case, only one controller is needed to control the two warning lights and flash them synchronously.

